



STORMSHIELD

SN-M-SERIES

520

Up to 18.9 Gbps

FIREWALL PERFORMANCE

Up to 7.5 Gbps

VPN PERFORMANCE

All-in-one solution

SME/SMI

NETWORK SECURITY



BOOSTS YOUR COMPANY'S CONNECTIVITY



Adaptability and modularity

Network modularity with copper and fiber interfaces (1 GbE, 2.5 GbE, 10 GbE and 25 GbE) and integration into telecoms racks, adapting perfectly to your infrastructure.

An all-in-one security solution

The integrated reports give SMEs and SMIs visibility over the protection of their infrastructure, control of access to applications and secure web browsing for their employees.

Business continuity

High availability, redundant power supply and link aggregation functions guarantee business continuity.


FOR EUROPEAN CYBERSECURITY

When you choose Stormshield, you gain true strategic independence and peace of mind in a highly charged geopolitical context. Completely developed in France, our firmware has received certification from leading European cybersecurity agencies such as ANSSI (France) and CCN (Spain), as well as Standard Qualification.

2 fiber interfaces
1 Gb

8 copper interfaces
100/1000/2500

1 extension
Copper and fiber modularity
(1Gb/10Gb/25Gb)



Redundant
power supply

ESSENTIAL DATA



Network connectivity
8

Copper interfaces 2.5 GbE



Network extension
Modularity

1 slot
(1 GbE, 2.5 GbE, 10 GbE and 25 GbE)

SN-M-Series

520



Performance
18,9 Gbps

Firewall



VPN
7.5 Gbps

IPsec throughput



Performance
10.6 Gbps

Firewall (IMIX)



Threat prevention
1.5 Gbps

Throughput



FEATURES

Non-contractual document. The features mentioned are for version 4.x.

Network modularity

A choice of **copper (1 GbE, 2.5 GbE and 10 GbE) or fiber (1 GbE, 10 GbE and 25 GbE) network interfaces** ensures a perfect fit with your infrastructure.

All-in-one equipment

Integrated reports enable you to **monitor the security policy implemented across all security functions** (firewall, intrusion prevention, application control, VPN, antivirus, antispam, web filtering, etc.).

Business continuity

High-availability and redundant power supply features ensure equipment availability. Link aggregation ensures that **traffic is reallocated in the event of network failure.**

... and unique firmware

Stormshield offers a unique, ergonomic interface for managing its products range. This **reduces operating costs, facilitates the management** of IT teams and **saves time** for the company.

And more features

Usage control

Firewall/IPS/IDS mode • Identity-based firewall • Application detection and management • Microsoft Services Firewall • Industrial firewall/IPS/IDS • Industrial application control • Detection and control of the use of mobile terminals • Geolocation (countries, continents) • Dynamic Host Reputation • URL filtering (embedded database or cloud mode) • Transparent authentication (Active Directory, SSO Agent, SSL) • Agent-based multi-user VDI authentication (Citrix, TSE) • Guest and sponsorship mode authentication, webservices • Host Checker • Zero Trust Network Access (ZTNA)

Protection from threats

Intrusion detection and prevention • Protocols autodetection and compliancy check • Application inspection • Protection from denial of service attacks (DoS) • Protection from SQL injections • Protection from Cross-Site Scripting (XSS) • Protection from malicious Web2.0 code and scripts (Clean & Pass) • Trojan detection • Detection of interactive connections (botnets, Command & Control) • Protection from data evasion • Advanced management of fragmentation • Automatic reaction to attack (notification, quarantine, block, QoS, dump) • Antispam and antiphishing: reputation-based analysis, heuristic engine • Embedded antivirus (HTTP, SMTP, POP3, FTP) • SSL decryption and inspection • VoIP protection (SIP) • Collaborative security: IP reputation, Cloud based Sandbox on the European territory (option)

Confidentiality

Site-to-site or nomad IPsec VPN • Post Quantum Resistant • Remote SSL VPN access in multi-OS tunnel mode (Windows, Android, iOS, etc.) • SSL VPN agent with automatic configuration (Windows) • Support for Android/iPhone IPsec VPN

Network - Integration

IPv6 • NAT, PAT, transparent (bridge)/routed/hybrid modes • Dynamic routing (RIP - OSPF - BGP) • Multicast • Multiple link management (balancing, failover) • Multi-level internal or external PKI management • Multi-domain authentication (including internal LDAP) • Policy-based routing (PBR) • QoS management • DHCP client/relay/server • NTP client • DNS proxy-cache • HTTP proxy • Aggregate links (LACP, Broadcast Mode and Redundancy) • Spanning-tree management (RSTP/MSTP) • SD-WAN, Multifactor Authentication (MFA)

Management

Web-based management • Interface with privacy mode (GDPR compliancy) • Object-oriented security policy • Contextual security policy • Real-time configuration helper • Rule counter • Connected or disconnected security updates • Global/local security policy • Embedded log reporting and analysis tools • Interactive and customizable reports • Support for multiple syslog server UDP/TCP/TLS • SNMP v2, v3 agent • IPFIX • Automated configuration backup • External storage (option) • Open API • Script recording • High availability.

STORMSHIELD

PERFORMANCE¹ 520

Firewall throughput (1518 bytes UDP)	18.9 Gbps
IPS throughput (IMIX)	10.6 Gbps
IPS throughput (1518 bytes UDP)	13.8 Gbps
IPS throughput (IMIX)	4.1 Gbps
Threat protection*	1.5 Gbps

* Threat protection is measured with firewall, IPS, antivirus, IP reputation, and web application security enabled, using a realistic traffic mix, and with logging enabled.

VPN 520

IPsec throughput - AES-GCM (1408 bytes)	7.5 Gbps
IPsec throughput - AES-GCM (IMIX)	3.7 Gbps
Nb of IPsec VPN tunnels (1024 kbps per tunnel)	1,500
Nb of SSL VPN clients	500

NETWORK CONNECTIVITY 520

Max number of simultaneous sessions	600,000
Nb of new sessions/sec.	90,000
Nb of main gateways (max)/backup (max)	64/64

CONNECTIVITY 520

2.5 Gb copper interfaces	8-16
10 Gb copper interfaces	0-4
1 Gb fiber interfaces	2-10**
10 Gb fiber interfaces (dual speed)	0-4**
25 Gb fiber interfaces	0-2
Slot for extension modules	1

** Requires transceivers

SYSTEM 520

Nb of filtering rules (recommended/specific config.)	4,096/16,384
Max number of static routes	5 120
Max number of dynamic routes	10,000
High availability	Active-Passive

TECHNICAL SPECIFICATIONS

HARDWARE 520

Storage	256 Go SSD
Log partition	> 200 Go
MTBF at 25°C	19 years
Size	1U -19"
Height x Width x Depth (mm)	44.45 x 440 x 360
Weight	4,17kg (9,19lbs)
Power supply	AC : 100-240V 60-50Hz 1,7A
Redundant power supply	Double integrated, not hot-swappable
Power consumption (idle/avg in Watt)	27/44/51
Fans	1
Noise level	59 dBA
Thermal dissipation (idle/avg/max in BTU/h)	92/150/174
Operating environment	Temperature: 0° to 40°C (32° to 104°F) Humidity: 0% to 95% @ 40°C (104°F)
Storage environment	Temperature: -30° to 65 °C (-22° to 149 °F) Humidity: 5% to 95% @ 60°C (140°F)

CERTIFICATIONS 520

Compliance	CE/FCC/CB
Certifications	EAL4+, Qualification Standard, Producto CCN Aprobado & Cualificado, IEC-62443-4-1

¹ Performance is measured in a laboratory environment under ideal conditions for version 5.x. Results may vary depending on test conditions and software version.

EXTENSION MODULES


TYPE	EXTENSION MODULE	Nb	REFERENCE
Fiber	1 Gigabit SFP	8 ports	NA-EX-CARD-8xG-FIB
Fiber	10 Gigabit SFP+	4 ports	NA-NW-CARD-4x10G-F
Fiber	25 Gigabit SFP28	2 ports	NA-EX-CARD-2x25G-F ¹

TYPE	EXTENSION MODULE	Nb	REFERENCE
Copper	10x100x1000	8 ports	NA-EX-CARD-8xG-COP
Copper	10x100x1000 with 4 bypass pairs	8 ports	NA-EX-CARD-BP-8xG-C ¹
Copper	100x1000x2500	8 ports	NA-EX-CARD-8x2_5G-C ²
Copper	10GBASE-T	4 ports	NA-EX-CARD-4x10G-COP

¹: Requires firmware version 4.8.1 and higher
²: Requires BIOS R1.01

TYPE	ON-BOARD INTERFACE CONNECTORS	REFERENCE
Fiber	Gigabit SFP 1000Base-SX (short distance)	NA-TRANS-SFP-SX
Fiber	Gigabit SFP 1000Base-LX (long distance)	NA-TRANS-SFP-LX
Copper	1000BASE-T, RJ45 over SFP	NA-TRANS-SFP-COPPER

SN-M-Series-520



SERVICE PACKS

ESSENTIAL SECURITY PACK

Corporations seeking unified protection from threats conveyed by the web or electronic mail and wishing to closely monitor the online activity of their users would find it advantageous to subscribe to this pack. They would then benefit from Stormshield Network Security's unique intrusion prevention technology, an advanced antispam engine, an antivirus module to detect malicious programs and web filtering engine for defining an internet access policy.

PREMIUM SECURITY PACK

This pack focuses on corporations with stringent security requirements, by **providing the best technology for countering even the most sophisticated attacks. Advanced antimalware system with emulation technology and URL filtering in cloud mode based on 65 categories (Extended Web Control)** will raise your protection to a level that is unrivalled on the market. The Stormshield Network Security module offers real-time visibility over network or application vulnerabilities that affect workstations and servers on the information system.

Next-Generation Firewall

- Layer 7 Firewall
- Geolocation
- Web applications
- User authentication, MFA & SSO

Secure SD-WAN & ZTNA

- IPsec VPN gateway
- Postquantum encryption
- SSL VPN gateway & client
- Device posture assessment

Threat Protection

- IPS/IDS
- Trusted public certificates
- Antispam
- Threat intelligence (IP & domains)
- Extended Web Control (URL filtering)
- Antimalware
- Breach Fighter AI-powered sandboxing
- Industrial protocols DPI

Services

- Software maintenance
- Hardware maintenance
- Standard support access
- Automated configuration backup
- 24x7 technical support access
- Express exchange
- Secure return

Essential Security Pack

Premium Security Pack

Layer 7 Firewall	✓	✓
Geolocation	✓	✓
Web applications	✓	✓
User authentication, MFA & SSO	✓	✓
Secure SD-WAN & ZTNA		
IPsec VPN gateway	✓	✓
Postquantum encryption	✓	✓
SSL VPN gateway & client	✓	✓
Device posture assessment	✓	✓
Threat Protection		
IPS/IDS	✓	✓
Trusted public certificates	✓	✓
Antispam	✓	✓
Threat intelligence (IP & domains)	✓	✓
Extended Web Control (URL filtering)	Option	✓
Antimalware	Option	✓
Breach Fighter AI-powered sandboxing	Option	✓
Industrial protocols DPI	Option	✓
Services		
Software maintenance	✓	✓
Hardware maintenance	✓	✓
Standard support access	✓	✓
Automated configuration backup	✓	✓
24x7 technical support access	Option	Option
Express exchange	Option	Option
Secure return	Option	Option

HARDWARE EXCHANGE

All security packs include hardware maintenance in order to ensure business continuity in the event of a hardware failure. Your appliance will simply be exchanged for a similar replacement product. Three levels of service are available.

Standard exchange

Your appliance will be exchanged once our customer service center receives the defective appliance.

Express exchange

Your appliance will be exchanged in advance. As soon as our support centers diagnose a hardware failure, the replacement product will be sent, which you would receive the next working day¹.

Serenity4all

With this service, you replace the product yourself once our support centers have diagnosed the malfunction fault².

¹ Please check with us regarding the eligible countries and cities. Applies to diagnoses made before 1 p.m.

² Replacement products must be acquired in advance for this service.

FOR OPTIMAL PROTECTION

Stormshield offers options to cover your additional cybersecurity needs.

Neutralize the most sophisticated threats with Stormshield Network Advanced Antivirus.

Benefit from an advanced and reliable filtering solution with Stormshield Extended Web Control.

Expand your home office with highly secure remote access with Stormshield VPN Client.

ANY DOUBTS ABOUT THE ATTACHMENTS



Stop risking the security of your infrastructure with a dubious attachment and put it to the test with Stormshield Breach Fighter.

→ breachfighter.stormshieldcs.eu


MANAGE YOUR SECURITY WITH EFFICIENT TOOLS



A decision-making tool

with Stormshield Log Supervisor

Optimize your research tasks and incident response. And thanks to its quick overview of system effectiveness, you will have peace of mind knowing your security investments are worthwhile.



Management of large infrastructures

with Stormshield Management Center

Stormshield Management Center exchanges SNS firewalls configuration and monitoring data in real time, while ensuring their confidentiality and integrity. Its intuitive graphical interface minimizes configuration errors and its global management of security and filtering policies eliminates repetitive tasks.

THE **EUROPEAN**
CHOICE
IN **CYBERSECURITY**

www.stormshield.com